

[Search](#)



- [About Us](#)
- [Innovations](#)
- [Inspirations](#)
- [Instruction](#)
- [Product Selector](#)
- [Contact Us](#)

[General Crafts](#)

[General Purpose](#)

[Holiday](#)

[Home Decor](#)

[Kid's Projects](#)

[Outdoor Decor](#)

[Paint Techniques](#)

[Paper Crafts](#)

[Scrapbooking](#)

[Seasonal](#)



Find a Krylon® Retailer
Near You!

To find a Krylon® Retailer Near You! just select one of the Retailer links and use that dealer's store locator. Not all retailers stock the complete line of Krylon® products. Krylon® recommends calling the retailer for product availability.

To browse through our store locator, [click here!](#)

Reflecting Window
by Christine DeJulio

Materials

Krylon® Make It Stone!® Textured Paint: Mediterranean Reef (#18227)

Krylon® Frosted Glass Finish: Pearl Gray (#9044)

Krylon® Make it Last!® Clear Sealer (#18200)

Old window

Mirror panels (cut to fit your particular window panes)

Foam core or cardboard

Glazing points

Window hanging hardware (2 screw-eyes & picture hanging wire)

General Supplies

Flat bladed screwdriver

Safety glasses

Work gloves

Putty knife

Utility knife

Straight edge

Marker

Painter's masking tape

Duct tape (optional)

Drop cloth

Medium grit sandpaper

Tack cloth

Instructions

1. To remove glass panes, pry away molding that is holding glass in position, then scrape away putty to loosen glass pieces.
2. Sand surface of frame smooth with medium grit sandpaper. Wipe dust from surface with tackcloth.
3. Paint both sides of frame with Make It Stone! spraying with several light coats. Let dry 4 - 6 hours.
4. Apply Make It Last! and allow to dry.
5. Lay frame right side down on flat surface. Carefully position pre-cut mirror panels into frame

openings with mirrored side facing down (can have panels cut at hardware store).

6. Cut foam core or cardboard to size of frame openings and place over mirrors to hold panels in place.

7. Use a putty knife to slide glazing points into frame, securely holding cardboard and mirror in position (option: after inserting glazing points you can also add duct tape around seams for extra security)

8. Turn frame over with mirror side facing up and mask off a border in each pane. Spray with Frosted Glass Finish and let dry several hours or overnight. Remove masking tape.

9. Attach window hanging hardware to backside of frame (2 screw-eyes and picture hanging wire).

[Back to Home Decor](#)

©2004 Krylon® | All Rights Reserved | [Terms of Use](#) | [Privacy Policy](#) | [Environmental Concerns](#)