


© 1997 KEN EUBANKS Unpublished Copyright.
 All Rights Reserved. This material may
 not be reproduced without the written
 permission of Ken Eubanks.

HANGING STYLE BIRD FEEDER

Revision: A	Part No.: BF4A_S1.PAR
Scale: 1:5	Material: PINE OR CEDAR
Page 01 of 03	Drawn By: KEN EUBANKS



© 1997 KEN EUBANKS Unpublished Copyright.
All Rights Reserved. This material may
not be reproduced without the written
permission of Ken Eubanks.

HANGING STYLE
BIRD FEEDER

Revision: A	Part No.: BF4A_S2.PAR
Scale: 1:2	Material: PINE OR CEDAR
Page 02 of 03	Drawn By: KEN EUBANKS

BILL OF MATERIALS / PARTS LIST

- 1 - RIDGE : 3/4x3/4x15 TRIANGLE STOCK
 - 2 - ROOF : 3/4x3-1/2x15 (4 REQD)
 - 3 - ENDS : 3/4x7-1/4x12 (2 REQD)
 - 4 - CENTER BRACE : 3/4x1-1/5x12 (1 REQD)
 - 5 - SIDE RAILS : 3/4x1x12 (2 REQD)
 - 6 - PERCH : 1/2x12-1/2 DOWELL ROD
- MISC ITEMS : SCREEN WIRE (8x16), WATER PROOF GLUE, SCREEN MOLDING, BRAD NAILS.

GENERAL NOTES : DIMENSIONS REFLECT THE ACTUAL MEASUREMENTS OF STANDARD OFF-THE-SHELF LUMBER. PRINT SHEET TWO AND ENLARGE USING A COPY MACHINE UNTIL THE ONE INCH SCALE IS EQUAL TO BUT DOES NOT EXCEED ONE INCH. ONCE SATISFIED WITH SCALE, MAKE TWO COPIES TO BE USED AS TEMPLATES. USING A SPRAY ADHESIVE, TEMPORALLY STICK THESE TEMPLATES TO THE END PIECE BLANKS AND CUT OUT ENDS. DRILL THE 1/2 INCH HOLE 3/8 DEEP WHERE LOCATED ON TEMPLATE. TAKE SCREEN WIRE AND DOUBLE BACK 1/2 INCH ON ALL FOUR SIDES FOR STRENGTH. STAPLE THE SCREEN WIRE TO THE BOTTOM OF THE FEEDER CUT THE SCREEN MOLDING TO COVER THE PERIMETER OF THE BOTTOM OF THE FEEDER, SANDWITCHING THE SCREEN INTO PLACE. BE CAREFUL, THE FEEDER CAN EASILY BE BROKEN NAILING MOLDING.